

EASY ONE

Non-aggressive polishing powder

CHARACTERISTICS

It is a weakened polishing powder, which doesn't contain acid salts. Thanks to its slow and controlled reaction, this polishing won't heat the surface, even after a long contact with it, or after a late wash.

APPLICATION

The surface has to be cleaned before the beginning of the treatment, in order to remove residues, after that apply from 30gr to 60gr (2 or 3 spoons) of product per square meter; wet the powder to get a milky texture, then place the traditional surface equipped with a felt pad, or use a weighting mono-brush machine and work a few meters at a time, the surface has always to be wet.

A thin layer of the used product remains on the floor; we suggest removing a part (using a cloth) in order to check the grade of finish reached and if is necessary repeat the operation. Once the treatment is finished, remove the layer using a neutral detergent such as: DETERGON R3 or

BIOSAN. Remember to rinse well with clean water.

WARNINGS

Before any application, do a preliminary test.

The MSDS is available upon request.

HANDLING AND STORAGE

The product EASYONE must be stored in the original containers, perfectly sealed, at a temperature between 0 and 30°C and shielded from direct sunlight. In these conditions, the product has a self-life of 12 months of the date quoted in the delivery note. If the material has been stored for longer than its recommended self life, it might still be suitable, but this has to be determined beforehand by performing quality checks on its application-related properties.

MATERIALS

Marble
Concrete marble

PACKAGING

Drum of 17 kg

LIMITS OF RESPONSIBILITY

We decline all responsibility for work and damage, which might result from improper or incorrect use of the product. The indications supplied with our product specifications and instructions for use are the results of accurate laboratory tests and experience in the field. However, as it is not possible to forward other evidence, when the products are used, these indications are not to be taken as adamant or do they imply liability on our part. Reproduction, even partial, of our technical sheets is forbidden. The data refers to the standards in force on the date of printing in 2016. The company reserves the right to make any changes without notice.

**PRODUCT FOR
PROFESSIONAL USE**